BEST AVAILARIF CODY

L3 ANSWER 22 OF 29 CASREACT COPYRIGHT 2005 ACS on STN

RX(5) OF 8 I + J ===> B

B YIELD 19%

RX(5) RCT I 32981-86-5, J 108-05-4

PRO B 27548-93-2

SOL 7732-18-5 Water

NTE BIOTRANSFORMATION, ENZYMIC, NOCARDIOIDES LOTEUS ATCC 55426 IMMOBILIZED ON DE52 RESIN, PHOSPHATE BUFFER

122:104050 Enzymic hydrolysis methods for the preparation of C-10 and C-13 hydroxyl-bearing taxanes, enzymic esterification method for the preparation of C-10 acyloxy-bearing taxanes, and use thereof in the

## 9/14/05

preparation of C-13 acyloxy-bearing taxanes. Hanson, Ronald L.; Patel, Ramesh N.; Szarka, Laszlo J. (Bristol-Myers Squibb Co., USA). Eur. Pat. Appl. EP 629701 A1 19941221, 30 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE. (English). CODEN: EPXXDW. APPLICATION: EP 1994-108957 19940610. PRIORITY: US 1993-77979 19930615; US 1993-77980 19930615.

L3 ANSWER 20 OF 29 CASREACT COPYRIGHT 2005 ACS on STN

RX(5) OF 33 ...O + Q ===> R...

R YIELD 95%

RX(5) RCT O 115437-18-8

STAGE(1) RGT S 109-72-8 BuLi SOL 109-99-9 THF, 110-54-3 Hexane

STAGE(2) RCT Q 108-24-7